

EXTENDABLE LOWBED TRAILER / 4 AXLES CONFIGURATION

TECHNICAL DESCRIPTION:

Chassis: Made of high resistance steel. All welded construction. ST 52-3 Eregli A1

Suspension: Air suspension with WABCO Brake system

Axles: OZKOC brand 4 axles each has 12 ton loading capacity, 2 self-steering axles at rear, 1st axle has lifting system for traction assistance

Brake system: Double line air brake system with 2S2M WABCO - EBS. Parking brake system

Landing gear: 2 speed landing gear, 24 ton lifting capacity/65 ton static capacity

Coupling and Articulation: 21/2 flanged king-pin in accordance with SAE standards

Extending system: Mechanical extendable system with pneumatic locking from middle of trailer designed ergonomically for loading long cargo.

Pneumatic locking system on extending area' each 1 meter

Electrical: Front panel for air brake and Electrical system. Electrical system designed 24 V conform to CEE with 7 way ISO connection in accordance to 76/756/ EEC regulations

Tires: 16+1 Tubeless 245/70 R 17.5 tyres with rims.

Ramp: Hydraulic activated backside loading ramp system. Designed for heavy cargo and 60 T support

Paint: All steel plates and structure are sand-blasted, painted with two anti corrosive primer coats and two levels paint in oven according to customer requirement. With RAL code

Dimensions

Open Total Length: 14.980 mm Closed Platform Length: 9.880 mm Open Total Length: 21.280 mm Overall Width: 2.550 mm (2 x 315 mm

outriggers)

Platform Height: 930 mm

Accessories

Spare Wheel carrier Reflective warning plates Fastening hooks on each side R0-RO - Lashing rings

Type of deck finish: Steel Cargo Bulk, max: 60000 kgs Road Weight, max: 10300 kgs Gross Weight, max: 70300 kgs

