





Project / Model
21.040
40' Lubrication Container

Explanation
...

Info
Date : 22.10.2021
Rev. : 00
Per. : Metin ALCAR
Tel : 0544 242 04 91
Mail : sales@aluratrailer.com

A 01



Project / Model

21.040
40' Lubrication Container


Explanation

...

Info

Date : 22.10.2021
 Rev. : 00
 Per. : Metin ALCAR
 Tel : 0544 242 04 91
 Mail : sales@aluratrailer.com

A 02



Project / Model

21.040

40' Lubrication Container

Explanation

...

Info

Date : 22.10.2021


Rev. : 00

Per. : Metin ALCAR

Tel : 0544 242 04 91

Mail : sales@aluratrailer.com

A 03



Project / Model

21.040

40' Lubrication Container

Explanation

...

Info

Date : 22.10.2021

Rev. : 00


Per. : Metin ALCAR

Tel : 0544 242 04 91

Mail : sales@aluratrailer.com

A

04



Project / Model

21.040
40' Lubrication Container


Explanation

...

Info

Date : 22.10.2021
Rev. : 00
Per. : Metin ALCAR
Tel : 0544 242 04 91
Mail : sales@aluratrailer.com

A 05



Project / Model

21.040
40' Lubrication Container


Explanation

...

Info

Date : 22.10.2021
 Rev. : 00
 Per. : Metin ALCAR
 Tel : 0544 242 04 91
 Mail : sales@aluratrailer.com

A 06



Project / Model

21.040
40' Lubrication Container


Explanation

...

Info

Date : 22.10.2021
 Rev. : 00
 Per. : Metin ALCAR
 Tel : 0544 242 04 91
 Mail : sales@aluratrailer.com

A 07



Project / Model

21.040
40' Lubrication Container


Explanation

...

Info

Date : 22.10.2021
 Rev. : 00
 Per. : Metin ALCAR
 Tel : 0544 242 04 91
 Mail : sales@aluratrailer.com

A 08



Project / Model

21.040

40' Lubrication Container

Explanation


...

Info

Date : 22.10.2021
 Rev. : 00
 Per. : Metin ALCAR
 Tel : 0544 242 04 91
 Mail : sales@aluratrailer.com

A

09



Project / Model

21.040
40' Lubrication Container






Explanation

...






Info

Date : 22.10.2021
 Rev. : 00
 Per. : Metin ALCAR
 Tel : 0544 242 04 91
 Mail : sales@aluratrailer.com

A 10

Equipment	Explanation	Brand / Orjin	Quantity	
	Bodywork 2-axle turntable trailer chassis, for a van body.	ALURA / Turkey	1	pcs
	Metal Cabinet Metal Locker 2 Person Width : 800 mm Depth : 400 mm Height : 2.100 mm These are leaf door. They are welded, stabşe 1.20 mm sheet constructions. Electrostatic powder coated. There are round edged, embedded stripe channel, eloxal aluminium Lugs and there are plastic taps on the lug heads.	ALURA / Turkey	8	pcs
	Bunk Box profile frame 40x40 Electrostatic powder paint	ALURA / Turkey	5	pcs
	Bed Type: Multi spring Size: 90x190 cm Bed Height: 18 cm Fabric: Woven Usage: Double Sided	EKO / Turkey	15	pcs
	Shower Cabin 4 mm Tempered Glass Cabin Boat Frosted Sandblasted Glass 95x95cm	SANICA / Turkey	1	pcs

Equipment	Explanation	Brand / Orjin	Quantity	
	Wacum Toilet Horizontal pumping distance: 30 meters Pumping height: 3 meters Water consumption: ECO 1.2L Normal: 2,4L Power switch: User's choice Electricity consumption: ECO (8 sec): 12V 0.056 Ah Power switch (per second): 12V: 0.007Ah Minimum water pressure: 1.7 BAR Total time required: ECO 8 s	SANMARIN / Italy	1	pcs
	Air Conditioning Cooling Capacity : 16.000 btu Input Voltage : 110/120 V - 50/60 / Hz Current Cooling : 6.3 / 6.9 A Required Fuse : 7 A Thermostatic Heat Control Yes Refrigerant : R410a	TOSHIBA / Turkey	1	pcs
		TOSHIBA / Turkey	2	pcs
	Water Transfer Set Maximum Motor power : 1000 W Maximum Water Flow: 4500 l/hour Maximum pressure: 50/5 m/bar Working pattern: 1.9 - 3 bar Maximum suction : 8 m Maximum leaving water : 35 °C Connection type : G1 Power Cable H05RN-F : 1 m Weight without accessories : 14.7 kg Dimensions (L x W x H): 506 x 270 x 5 mm	KRESS	1	pcs
	Quick Nautic Boiler BK Volume: 160 L. Tank Test Pressure: 10 bar Maximum Working Pressure: 8 bar Volt : 110 V Phase : Monophase Resistance : 2000 W Diameter : 570 mm Length : 1000 mm	Quiik / Italy	1	pcs
	Clean / Waste water tanks 5 pcs 3000 lt total	Alura / Turkey	1	set

Equipment	Explanation	Brand / Orjin	Quantity	
	Ventilation Units Turbo Ventilation Units Nominal Voltage: 12V Airflow: 600 m ³ / h Nominal Current: 3.4A Static Pressure: 0 bar Nominal Speed: 2175 rpm	KORMAS / Turkey	5	pcs
	Usage A.: Indoor and outdoor environment Protection S.: IP 65 (66 Opt..) Operation : -20°C ~ +65°C Operating V. : 110 V AC 45/65Hz + DC Power: 18W Lumens: 1700 Light Angle : 120° Kelvin : 6500K (3000K Op..)	EAE / Turkey	4	
	Outdoor Lighting 30 Watts: 5800 Lumens Size: 120x130 mm Working life: 30,000 hours Standard: IP67	ALURA / Turkey	1	pcs
	Control panel of all equipment. Generator / Mains power connection.	ALURA / Turkey	1	pcs
	Fire extinguisher Capacity: 6 kg. Full Weight: 9.1 kg. Working Pressure: 18 bar. Discharge Time: 14 sec. Extinguishing Agent: MAP@ (ABC)	ALURA / Turkey	2	pcs