



Isuzu NMR71E Mobile Workshop Equipments List

Equipments

- 12 kWa / Bar Generator & Compressor
- Tyre removing system
- Welder Machine
- Battery Chargher
- Hand Grinding
- Hand Drill
- Battery Maintenance Kit
- Hand Tools
- Filter Removal Kit
- Toll Boxes
- Lubrication System (Oil) 4 Set
- Lubrication System (Cooling) 2 Set
- Waste Oil Collection
- Lubrication System (Grease)
- Barrel Pump (Oil)
- Pressure Washing System
- 15- Air System
- Hydraulic Jacks
- Heavy Vehicle Lever Set
- Tire Bead Breaker
- Plastic Wedges
- Shock Tube
- Sized Funnel
- Heavy Duty Air Impact Wrench 1 inch
- Air Impact Wrench ½ inch
- Air Impact Sockets 1 inch 8 Pices
- Air Impact Sockets ½ inch 10 Pices
- Air Grinder Kit ¼ inch Set
- Air Ratchet Kit ½ inch Set

Alura Part No

- ALR-081
- ALR-082
- ALR-083
- ALR-084
- ALR-085
- ALR-086
- ALR-087
- ALR-088
- ALR-089
- ALR-090
- ALR-091
- ALR-092
- ALR-093
- ALR-094
- ALR-095
- ALR-096
- ALR-097
- ALR-098
- ALR-099
- ALR-100
- ALR-101
- ALR-102
- ALR-103
- ALR-104
- ALR-105
- ALR-106
- ALR-107
- ALR-108
- ALR-109

1- 12 kWa / Bar Generator & Compressor

ALR-081

HK 15000 MS AUTOMATIC

- Powered by Honda GX690 engine
- 15 kVA maximum output
- Single phase
- Automatic start



hepsiburada.com

AIR COMPRESSOR - MODEL DKKD 15



PRESSURE		CAPACITY		MOTOR POWER kW/HP	CONNECTION SIZE	DIMENSIONS mm			WEIGHT kg	AIR RECEIVER (3) lt
Bar	PSI	lt/min	SCFM			Width	Depth	Height		

Double-Stage Reciprocating Series

DKKC 200	12	175	205	7,2	1,5/2,0	1/2"	1532	450	983	145	200
DKKD 15	15	215	507	17,9	4/5,5	3/4"	1832	474	1097	230	250
DKKD 12	12	175	856	30,2	7,5/10	3/4"	1920	658	1298	374	500
DKKD 15A	15	215	828	29.2	7,5/10	3/4"	1925	669	1406	439	500

* Values are recorded in reference conditions which are 1 bar absolute air pressure, %0 relative humidity, 20°C inlet air temperature and use of Smartoil.

DALGAKIRAN KOMPRESSOREN reserves its rights to make changes in its products and specifications without prior notice.


2- Tyre removing system

ALR-082

Truck Mobil Tyre Changer Systems Kamyonlar İçin Mobil Lastik Sökme-Takma Sistemleri



ALLEGRO MOBIL
65 00



700 kg

Tyre Weight
Lastik Ağırlığı



1300 mm

Tyre Diameter
Lastik Çapı



600 mm

Tyre Width
Lastik Genişliği



14"-26"

Rim Diameter
Jant Çapı

ALLEGRO MOBIL 65 00



Optional Remote Control
Opsiyonel Uzaktan Kumanda
33RC 00



Standard Roller for Tubeless Tyre
Standart Role



Standard Rim Fixing Clamp
Standart Topuk Itme Pensesi



Standard Lever
Standart Leve





Standart CE
24V DC
Standart CE
24V DC



Optional Remote Control
Opsiyonel Uzaktan Kumanda
33RC 00

	ALLEGRO MOBIL 65 00
Height Yükseklik Высота Височина	1393 mm
Depth Derinlik Длина Дължина	1660 mm
Width Genişlik Ширина Широчина	984 mm
Hydraulic Working pressure Hidrolik Çalışma basıncı Гидр. Рабочее давление Хидр. Работно налягане	110 bar
Hydraulic Engine Hidrolik Motoru Гидромотор Хидравличен Двигател	1,5 kW / 2 hp
Net weight Net ağırlık Собственный вес Собствено тегло	700 kg
Working engine Hareket motoru Электродвигатель Електро двигател	1,5 kW / 2 hp
Rotating speed Dönme hızı Скорость вращения- об/мин Скорост на въртене	6 rpm

ALLEGRO MOBIL 65 00



3- Welder Machine

ALR-083

TECHNOMIG 225 PULSE 230V + ACC. code 852026

Microprocessor controlled, MIG-MAG, (PULSE)/FLUX/BRAZING, TIG-DC LIFT and MMA inverter welding machine. The SYNERGIC function allows for a rapid and easy setting of the welding programmes and grants always a high control both of the arc and of the quality of the welding. The synergy and the remote regulation of the welding parameters make it particularly suitable for use in the industrial field. Particularly suitable for welding aluminium, galvanised sheets, HSS high strength steels, stainless steel. Main characteristics: 15 standard and possibility to store 10 customized welding programmes * regulation of post gas, current down slope, burn-back time * choice of 2/4 times, spot operation * arc force, hot start, anti-stick devices * remote control connector * automatic torch recognition* check control at starting * storage on on-board E2PROM of the last 10 alarms * thermostatic, overvoltage, undervoltage, overcurrent protections * use with SPOOL GUN torch. Complete with MIG-MAG welding accessories.



Technical Data



Standards:	LVD: EN 60974-1	EMC: EN 60974-10					
V_{PH}	A_{MIN} A_{MAX}	A_{MAX} 40°C	A_{60%} 40°C	V_o	A_{50%} A_{MAX}	P_{60%} A_{MAX}	η
V 50/60Hz 230 1 ph	A 5 200 DC	EN 60974-1 200 35 % DC	EN 60974-1 140 DC	V 65 DC	A 26 40	kW 4 6	n% 85
cosφ	cosφ_{ST}	cosφ_{SS}	cosφ_{AL}	cosφ_{FX}	cosφ_{BZ}	MIN MAX DC	IP
cosφ _{hi} 0,7	mm 0,6 1	mm 0,8 1	mm 0,8 1	mm 0,8 1,2	mm 0,8	mm 1,6 4	IP 23
W_L H	kg	BAR CODE					
cm(L,W,H) 50,5 25 43	kg 26	800489772691 5					

4- Battery Charger

ALR-084



Battery charger and starter for charging free electrolyte batteries

(WET) with 12/24V voltage and starting all kinds of cars, vans and light trucks.

Characteristics: choice of normal charge, quick charge (BOOST), quick start

* display of charging and starting current

* protection against overloads and polarity reversal.

							
 	 	 	 	 			
							
829383	V50/60Hz 230 1 ph	kW 1,6 / 10	V 12 24	A 75	A 50	A 300	A 400
							
Ah 20 / 1000	4	cm(L,W,H) 36,5 46 75,5	kg 20	800489773285 5	pz/pallet 9	pz/pallet - B 6	

5- Hand Grinding

ALR-085



6- Hand Drill

ALR-086



7- Hand Tools

ALR-087

ALTAŞ

S 1006

AĞIR TİCARİ TAŞITLAR İÇİN ALET SETİ

TOOL KIT FOR HEAVY COMMERCIAL VEHICLES



Kod / Code	No.	İçindekiler/Contents	TL
010901T1489	S 1006 M	96 parça metrik muhteviyat 96 pieces in metric sizes	30.00

No.	S 1006 M	
1 B / 21	8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 19 - 21 - 22 - 23 - 24 - 26 - 27 - 29 - 30 - 32 mm	13
0300	12" C	22
19 / 20	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 21 - 22 - 23 - 24 - 26 - 27 - 28 - 30 - 32 mm	34
IN 19	5 - 6 - 7 - 8 - 9 - 10 - 12 - 14 - 17 mm	37
1985	1/2"	38
1987	1/2"	39
1990	5" - 10"	39
1993U-10	1/2"	39
1995	1/2"	39
32	19 - 22 - 24 - 27 - 29 - 30 - 32 - 36 - 38 mm	42
3287	1/2"	43
3290	8" - 16"	43
3293U-10	1/2"	43
3295	1/2"	43

No.	S 1006 M	
150	6,5 - 8 - 10 mm	66
160	1 - 2 - 3 - 4 mm	67
2845	160 JC	82
2860	19 - 25 mm	84
2861	19 - 25 mm	84
2870	19 - 25 mm	84
2871	19 - 25 mm	84
2010	145 10° C	86
2820	10° C	86
175	2"	87
405 Y	440 mm	99
268	45 mm Ø	100
268	30 mm Ø	100
8605	1000 gr - 1500 gr	101
350	4 mm	102
352	200 mm	102
355	4 - 5 - 6 mm	102
644	5 sıra	104

8- Battery Maintenance Kit

ALR-088



9- Filter Removal Kit

ALR-089




10- Toll Boxes

ALR-090




11- Lubrication System (Oil) 4 Set

ALR-091




12- Lubrication System (Cooling) 2 Set

ALR-092




13- Waste Oil Collection

ALR-093



13- Lubrication System (Grease)

ALR-094





ALURA TRAILER
Yazır Mah. Sultan Cad. Reyhan İş Mrk.
No 34 /407 Selçuklu / Konya - TURKEY
Tel: +90 332 3460080
E-mail : sales@aluratrading.com
Web : www.aluratrailer.com



14- Barrel Pump (Oil)

ALR-095



15- Pressure Washing System

ALR-096



Working Pressure	:150 Adjustable
Flow Rate Lt / Min	:7-13 Adjustable
Motor Power(Kw / Hp)	:4
Voltage/Phase	:220 / 1
Pump Type	:3 Cylinder Ceramic Piston
Hose Length	:15 m

15- Air System

ALR-097



16- Hydraulic Jacks 10 ton

ALR-098



ALURA TRAILER
Yazır Mah. Sultan Cad. Reyhan İş Mrk.
No 34 /407 Selçuklu / Konya - TURKEY
Tel: +90 332 3460080
E-mail : sales@aluratrading.com
Web : www.aluratrailer.com



17- Heavy Vehicle Lever Set

ALR-099



18- Tire Bead Breaker

ALR-100



The MAXI-LEM SPECIAL is suitable for breaking the beads of the tire bead on both sides of the rim of earth-moving vehicles that use rims from 3-5 pieces up to 35 ".

Beak adjustable		
Weight tool	: 13.5	kg
Dimensions tool	: 57x11x35	cm
Race stem bead	: 7	cm
Power bead	: 4536	kg
Power locking	: from 3400kg to 7930	kg
Length feet	: 10	cm
Max Tire Size	: 35 "	
Maximum operating pressure	: 700	bar

19- Plastic Wedges

ALR-101



20- Shock Tube

ALR-102



21- Sized Funnel

ALR-103



22- Heavy Duty Air Impact Wrench 1 inch

ALR-104



23- Air Impact Wrench ½ inch

ALR-105



24- Air Impact Sockets 1 inch 8 Pices

ALR-106



25- - Air Impact Sockets ½ inch 10 Pices

ALR-107



26- Air Grinder Kit ¼ inch Set

ALR-108





ALURA TRAILER
Yazır Mah. Sultan Cad. Reyhan İş Mrk.
No 34 /407 Selçuklu / Konya - TURKEY
Tel: +90 332 3460080
E-mail : sales@aluratrading.com
Web : www.aluratrailer.com

27- Air Ratchet Kit ½ inch Set

ALR-109

